

Truck and Bus Tyre Solutions

Product Catalogue



















Contents

About us Continental	4
Product Recommendation	6
ContiLifeCycle™ retreading solutions	8
Digital tyre monitoring	9
Goods	10
People	40
Construction	48
Winter	60




Let's talk solutions!

Continental has a history of innovation dating back 150 years. We are a world-renowned technology supplier to the automotive industry and a leading manufacturer of premium commercial vehicle tyres.

We produce truck and bus tyres for a range of applications in our plants throughout the world. Our tyres are designed to meet the needs of different vehicles, road conditions, customer requirements and driver behaviour.

With our long-standing experience, dedication and passion, we are constantly developing state-of-the-art products, services and solutions to help your business succeed whatever your operating conditions — day in, day out.

Product Line Recommendation



GOODS PEOPLE CONSTRUCTION WINTER

New tyres, multiple lives.

Continental's advanced hot and cold retreading solutions provide for additional mileage by giving your tyre a second or even third life. This not only benefits your budget, but the environment too - reusing the tyre casing saves energy and resources.

Ready for a retread? Enter the ContiLifeCycle™.

ContiTread[™] - a cool-headed calculation

Continental's range of pre-cured treads for cold retreading is based on new tyre technology. To ensure the highest product and process quality, retreading is carried out by a certified partner network.

ContiRe[™] - for a really hot performance

Hot-retread tyres are renewed from bead to bead, applying the same technologies used in new Continental tyres. Each ContiRe™ tyre is thoroughly tested for quality and covered by an extensive warranty.



Take it to the next level. With digital tyre monitoring.

Underinflated tyres are a major cause of breakdowns and service calls. But did you know that driving with tyres which are underinflated by 20% can reduce casing life by 30%? Thus, ensuring the correct air pressure and temperature reduces tyre wear, as well as costs, and also maximises uptime. Ready your fleet for the future with Continental's innovative digital tyre monitoring solutions.

Ready for the future with intelligent sensors inside the tyre



Enhanced safety, extended tyre life, and extra-low operating costs - digital tyre monitoring by Continental keeps you in control:

ContiPressureCheck[™] provides drivers with precise status information by continually monitoring air pressure and temperature via the tyre sensor. The system displays data in the driver's cab and warns the driver before a situation becomes critical. ContiPressureCheck[™] is a complete, driver-focused system for single vehicles and trailers that can be integrated into third-party telematics solutions.

ContiConnect[™] takes digital tyre monitoring to the next level. The system conveniently connects multiple vehicles and helps fleet managers switch from inflexible manual service routines to targeted in-time maintenance. Any tyre issues are immediately identified upon returning to the fleet yard.





Conti EcoPlus HS3+

Steer axle

- Greatly improved rolling resistance thanks to a new innovative tread and sidewall compound
- Optimised base compound for low rolling resistance and excellent fuel efficiency
- Wet performance pocket sipes enhance water displacement and improve wet performance
- Plus Volume Pattern with smaller groove widths adds tread material and increases wear resistance to achieve high mileage



Conti EcoPlus HT3+

Trailer axle

- Experience significantly improved mileage and fuel efficiency thanks to the two-layer tread construction and sidewall compounds
- Avoid tire damage with the optimized tread pattern design that ensures balanced pressure distribution and even wear
- New 3PMSF marking for all-weather use, including good performance on wintry roads

"The fuel saver built for motorway use."

Conti EcoPlus HD3+

Drive axle

- Greatly improved rolling resistance thanks to a new innovative tread and sidewall compound
- Higher mileage performance thanks to new compound
- Chamfered Edge technology for a reduced amount of deformation in the sidewall and bead area, resulting in improved rolling resistance and reduced fuel consumption
- Good traction thanks to open shoulders and a high number of grip edges
- The tread design, which features wide blocks, offers an optimised footprint using less deformation energy and improving fuel efficiency

Conti EcoPlus

Conti EcoPlus HS3+ / Steer axle

Tyre Size	LI/SI		*	1)))	M+S	▲ ••	G	0
355/50 R 22.5*	156K	С	С	A/70 dB	•	•		0
385/55 R 22.5	160K (158L)	В	В	A/71 dB	•	•		
295/60 R 22.5*	150/147L	С	В	A/69 dB	•	•		0
315/60 R 22.5	154/150L	С	С	A/70 dB	•	•		
385/65 R 22.5	160 K (158L)	**	**	**	•	•		
315/70 R 22.5	156/150L(154/150M)	В	В	A/71 dB	•	•		
315/80 R 22.5	156/150L(154/150M)	В	В	A/70 dB	•	•		

*predecessor Conti EcoPlus HS3

Conti EcoPlus HD3+ / Drive axle

Tyre Size	LI/SI		*	11)	M+S	<u></u>	(1)	G	0
315/45 R 22.5*	147/145L	D	С	B/76 dB	•	•			0
295/55 R 22.5	147/145K	С	С	A/73 dB	•	•			
295/60 R 22.5	150/147L	С	С	A/73 dB	•	•			
315/60 R 22.5	152/148L	С	С	A/73 dB	•	•			
315/70 R 22.5	154/150L(152/148M)	В	С	A/73 dB	•	•	(1)		
315/80 R 22.5	156/150L(154/150M)	В	С	A/73 dB	•	•	(1)		

*predecessor Conti EcoPlus HD3

Conti EcoPlus HT3+ / Trailer axle

Tyre Size	LI/SI		*	(1))	M+S	<u></u>	(1)	G	0	
385/55 R 22.5	160K (158L)	Α	С	A/70 dB	•	•	(1)			
385/65 R 22.5	160K (158L)	Α	С	A/70 dB	•	•	(1)			


Also available as an intelligent tyre, already fitted with tyre sensors ex works.

Also available as a cold-retread tyre.

Also available as a hot-retread tyre.

^{**} values in preparation

Conti EcoPlus - Application Recommendation per Tyre Size



Conti EfficientPro S / Conti EfficientPro D

- Designed exclusively for long-distance transport on motorways (vehicles covering 120,000 km plus per year)
- Improved fuel efficiency and lower CO² emissions thanks to optimised rolling resistance
- Decreased rolling resistance thanks to improved pressure distribution in the tyre footprint
- Improvements in the tyre contour provide for more even wear
- Damping-optimised compounds in the tread and body improve rolling resistance

Conti EfficientPro S

Steer axle


Conti EfficientPro D Drive axle






Tyre Size	LI/SI		*	(1))	M+S <u>♠</u> ⊕	9 0
385/55 R 22.5	160K (158L)	Α	В	B/71 dB	•	
315/70 R 22.5	156/150L (154/150M)	Α	В	A/70 dB	•	0

re Size	LI/SI		*	(1)	M+S	♣ ⊕	G	0	
5/70 R 22.5	154/150L (152/148M)	Α	С	A/71 dB	•	•		0	



Also available as a cold-retread tyre.

H Also available as a hot-retread tyre.





Conti EcoRegional HS3+ Steer axle

- Further improved steer compound leads to excellent rolling resistance, good mileage and savings in fuel and CO₂ emissions
- Enhanced Conti EcoRegional HS3 surface styling and full-depth pocket sipes retained for great wet grip and even wear on regional roads
- Good mileage performance thanks to balanced compound formula
- W-groove technology makes for even distribution of forces along the groove when cornering, reducing stress on the tyre and prolonging its service life

"The fuel saver for mixed regional and long-haul operations."



- Modified casing construction for better rolling resistance without impacting mileage
- New special production process for the drive axle tyre resulting in better rolling resistance
- Proven tread design focused on traction and wet braking to help master everyday challenges in regional applications
- Innovative compound also used in the Conti EcoRegional HD3 predecessor enabling a previously unattained balance between mileage and rolling resistance


Conti EcoRegional tyre line

Conti EcoRegional HS3+ - Steer axle

Tyre Size	LI/SI		*	1))	M+S 🎪 🕕 🗿 🕕
315/70 R 22.5	156/150L(154/150M)	В	В	A/70 dB	• • 0
315/80 R 22.5	156/150L(154/150M)	В	В	A/70 dB	• • 0
385/55 R 22.5	160K (158L)	В	В	A/71 dB	• • 0
385/65 R 22.5	164K	В	В	A/71 dB	• • 0

Conti EcoRegional HD3+ - Drive axle

Tyre Size	LI/SI		*	(1))	M+S	<u></u> ⊕ ⊕	G	0
315/70 R 22.5	154/150L(152/148M)	С	С	A/73 dB	•	•		0
315/80 R 22.5	156/150L(154/150M)	С	С	A/73 dB	•	•		0



Also available as a cold-retread tyre.

Also available as a hot-retread tyre.



Conti Hybrid HS3+

Steer axle

- Upgraded tread design to enhance durability and mileage
- Even wear and outstanding mileage thanks to refined pattern structure and new W-groove
- Maximum grip and handling performance in all weather conditions thanks to optimized, durable tread pattern designed for regional roads
- Balanced compound mixture for even more mileage

Drive axle The new block design decreases

wear for significantly increased mileage

Conti Hybrid HD3

- Features a high number of gripping edges for improved traction
- The balanced polymer rubber tread compound is specially designed to guarantee high on/off-road performance

NEW 1

Conti Hybrid HT3+

Trailer axle

- Newly introduced 3PMSF marking documents suitability for all weather conditions including wintry roads
- Groove geometry and enhanced pocket sipes provide better grip and outstanding mileage
- Designed for transport roles on regional roads and motorways

"The high-mileage performer for regional and long-haul operations."

Conti Hybrid

Conti Hybrid HS3+ / Steer axle

Tyre Size	LI/SI		*	11))	M+S 🎪 🕕 🕝	0
385/55 R 22.5	160K (158L)	С	В	A/70 dB	• •	0
385/65 R 22.5	160K (158L)	С	В	A/71 dB	• •	0
385/65 R 22.5	164K	С	В	A/71 dB	• •	0
275/70 R 22.5*	148/145M	С	В	A/69 dB	• •	
315/70 R 22.5	156/150L(154/150M)	С	В	A/70 dB	• •	0
295/80 R 22.5	154/149M	С	В	A/70 dB	• •	0
315/80 R 22.5	156/150L(154/150M)	С	В	A/70 dB	• •	0
12 R 22.5*	152/148L(150/148M)	С	В	A/70 dB	• •	

^{*} available as Hybrid HS3 tread pattern


Conti Hybrid HD3 / Drive axle

Tyre Size	LI/SI		_	1 1))	M+S 🎪	(1)	0
295/55 R 22.5	147/145K	С	В	A/73 dB	• •		0
295/60 R 22.5	150/147L	С	В	A/73 dB	• •		0
315/60 R 22.5	152/148L	С	В	A/73 dB	• •	(1)	0
275/70 R 22.5	148/145M	D	В	A/73 dB	• •		
315/70 R 22.5	154/150L(152/148M)	С	В	A/73 dB	• •	(1)	0
295/80 R 22.5	152/148M	D	В	A/73 dB	• •	(1)	0
315/80 R 22.5	156/150L(154/150M)	D	В	A/73 dB	• •	(1)	0

Conti Hybrid HT3+ / Trailer axle

Tyre Size	LI/SI		*	1))	M+S 🎪 🕕 🕒 🕕
385/55 R 19.5	150 J	В	С	A/70 dB	• • •
385/55 R 22.5	160 K (158 L)	В	С	A/70 dB	• • 0
385/65 R 22.5 ¹	164K	В	В	A/70 dB	• • •

¹ High Load (HL)



Also available as a cold-retread tyre.

Also available as a hot-retread tyre.

Conti Hybrid Trailer tyre line

Conti Hybrid HT3 ED - Trailer axle

Tyre Size	LI/SI		•	1))	M+S 🎪 🕻	9	0
385/65 R 22.5	164K	С	В	B/73 dB	•		

Conti Hybrid HT3 SR - Trailer axle

Tyre Size	LI/SI		•	1))	M+S	(1)	G	0
385/55 R 22.5	146/143K	С	С	B/74 dB	•			0
385/65 R 22.5	160K (158L)	С	В	B/72 dB	•			0

Conti Hybrid HT3 ED Trailer axle

- Designed for the transpor
- Designed for the transport of heavy goods with high loads outside of Europe on varying road conditions
- New groove geometry ensures capabilities of on/off application and includes stone bumpers to improve the stone rejection performance
- Extraordinary robust carcass and optimized tread compound for demanding regional applications

Conti Hybrid HT3 SR


Trailer axle

- Designed for the transport on severe road conditions
- New tread design to ensure the performance balance of mileage and robustness by stone-bumpers supporting the overall stone rejection performance
- Adjusted groove technology increases Chip Chunk performance


"The Hybrid trailer tyre family: with the right one for the job."

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

Conti EcoPlus | Conti Hybrid | Conti CrossTrac: application overview of trailer tyre lines.



Conti Hybrid - Application Recommendation per Tyre Size



Goods

Conti Hybrid HS3 19.5

Steer axle

- Outstanding mileage
- Excellent fuel efficiency
- Boasts high wet performance throughout its lifetime
- Significantly improved rolling resistance



Conti Hybrid HD3 19.5

Drive axle

- High mileage
- · Significantly lower fuel consumption
- Features an innovative, applicationoptimised tread compound for improved rolling resistance



Tyre Size	LI/SI		*	■())) M	1 +S 🎪 🕕	9 0	Tyre Size
245/70 R 19.5	136/134M	С	В	A/69 dB	• •		245/70 R 19.5
265/70 R 19.5	140/138M	С	В	A/69 dB	• •		265/70 R 19.5
285/70 R 19.5	146/144M	С	В	A/69 dB	• •		285/70 R 19.5
305/70 R 19 5	149/145M	_	D	1/60 dp			205/70 P 10 5

Tyre Size	LI/SI		*	1))	M+S	♠ (Ð	0
245/70 R 19.5	136/134M	D	С	B/74 dB	•	•		
265/70 R 19.5	140/138M	D	С	B/74 dB	•	• (D G	
285/70 R 19.5	146/144M	С	С	B/74 dB	•	• (D G	
305/70 R 19.5	148/145M	С	С	B/76 dB	•	•		

Conti Hybrid HT3+ 19.5

Trailer axle

- · High mileage
- Excellent rolling resistance



"Ideal for mixed applications in the field of regional distribution transport."

Tyre Size	LI/SI		*	(1))	M+S	4	(1)	G	0
385/55 R 19.5*	150 J	В	С	A/70 dB	•	•	(1)		

* additional tyre sizes are coming in Q1 2023

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

Goods

Conti Hybrid LS3

Steer axle

- A 10% improvement in mileage capabilities as compared with its predecessor
- New siping technology enhances water displacement and provides improved wet performance
- Ideal for mixed applications: regional traffic, motorways and urban road conditions



Conti Hybrid LD3

Drive axle

- A 13% improvement in mileage capabilities as compared with its predecessor
- Chamfered Edge technology reduces the deformation of the sidewall and bead area, resulting in improved rolling resistance and lower fuel consumption
- Ideal for mixed applications: regional traffic, motorways and urban road conditions



Tyre Size	LI/SI		•	(1))	M+S 🎪 🗓 🗿 🕕
245/70 R 17.5	136/134M	С	В	A/71 dB	• •
265/70 R 17.5	139/136M	С	В	A/71 dB	• •
205/75 R 17.5	124/122M	С	В	A/71 dB	• •
215/75 R 17.5	126/124M	D	В	A/71 dB	• •
225/75 R 17.5	129/127M	С	В	A/71 dB	• •
235/75 R 17.5	132/130M	С	В	A/71 dB	• •

Tyre Size	LI/SI		*	(1))	M+S 🕸 🗓 😉 🕕
245/70 R 17.5	136/134M	D	С	B/76 dB	• •
265/70 R 17.5	139/136M	D	С	B/76 dB	• • 0
205/75 R 17.5	124/122M	D	С	B/74 dB	• •
215/75 R 17.5	126/124M	D	С	B/74 dB	• •
225/75 R 17.5	129/127M	D	С	B/76 dB	• •
235/75 R 17.5	132/130M	D	С	B/76 dB	• •

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

"The best choice for light commercial vehicles."


HSR2

Steer axle


- Boasts an incredibly high life expectancy thanks to customised tread geometry
- Wear is evenly distributed in all load conditions
- Precise handling thanks to perfected tread patterns
- Maximum wet grip
- Reduced rolling resistance for higher fuel efficiency



Tyre Size	LI/SI		•	(1))	M+S	4	(1)	G	0
315/80 R 22.5	158/150L	С	С	B/73 dB					



(1) Also available as a hot-retread tyre.




HTR2 **Low Platform Tyre**

Trailer axle

- Designed for heavy goods transportation on country roads
- A low platform tyre for maximum load volume
- Extra load carrying capability
- Low rolling resistance for lower fuel consumption



Tyre Size	LI/SI		•	(1))	M+S 🔬 🕕	G 0	
205/65 R 17.5	129/127K (132/132G)	D	С	A/69 dB	•	0	
245/70 R 17.5	143/141L (146/146F)	С	С	B/71 dB	•	9 0	
215/75 R 17.5	135/133K	D	С	B/73 dB	•		
235/75 R 17.5	143/141K (144/144F)	С	С	B/71 dB	•	9 0	







Conti Urban

Conti Urban HA3 - All axle

Tyre Size	LI/SI		_	1 1))	M+S 🎪	(1)	G	0
245/70 R 19.5	136/134M	С	С	A/70 dB	• •			0
265/70 R 19.5	140/138M	С	С	A/70 dB	• •	(1)		0
315/60 R 22.5	152/148J (154/150E)	С	С	A/71 dB	• •			
315/60 R 22.5*	156/150J	С	С	A/71 dB	• •			
275/70 R 22.5	150/145J (152/148E)	С	В	A/70 dB	• •	(1)	9	
275/70 R 22.5**	152/148J	D	В	A/70 dB	• •			
305/70 R 22.5	152/148K (154/150E)	С	С	A/71 dB	• •			

- * optimised for electric city buses
- ** Load-index increased to 152/148

Conti Urban HA3

All axle

- Maximum safety thanks to a wider tread width which ensures excellent cornering stability
- Increased durability due to increased sidewall thickness and a higher casing wire density
- Comfortable on both dry and wet roads thanks to excellent wet grip
- Optimised for electric city buses, with a higher load carrying capacity in selected sizes

"The urban challenger for short, inner-city distances."

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

Conti CoachRegio HA3

All axle

- Maximum safety and handling performance thanks to a new, full-depth siping technology which enhances water displacement and ensures excellent grip in all weather conditions
- High mileage thanks to a greater tread width and an innovative combination of rubber polymer and strengthening filler materials
- Outstanding comfort, grip and curve stability on both dry and wet roads due to wide shoulder ribs



Conti CoachRegio HD3

Drive axle

- Maximum safety based on a full-depth 3D siping technology that enhances water displacement and guarantees improved wet performance and traction throughout its service life
- Outstanding mileage thanks to a newly developed state-of-the-art compound mixture enhanced with innovative filler materials
- High robustness and stiffness thanks to a tie-bar shoulder design that minimises damage from kerb impact



D	Tyre Size	LI/SI		*	1))	M+S	<u></u>	(1)	G	0	
	295/80 R 22.5	154/149M	С	В	A/73 dB	•	•	(1)			


Conti Coach HA3

All axle

- Excellent braking performance
- Outstanding fuel efficiency
- Provides a comfortable ride



Tyre Size	LI/SI		•	1 1))	M+S 🎪	(1) (2)	0
295/80 R 22.5	154/149M	В	Α	A/70 dB	• •	(1)	0
315/80 R 22.5	156/150L (154/150M)	В	Α	A/71 dB	• •		



- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

Tyre Size

295/80 R 22.5 154/149M







Conti CrossTrac HS3

Steer axle

- Excellent handling and driving stability - both on and off road
- An innovative tread design allows for high mileage and even wear
- Features a robust 4-belt layer casing for maximum retreadability
- M+S and 3PMSF markings for selected tyre sizes

Conti CrossTrac HT3

Trailer axle

- Optimised tread pattern design for high mileage
- Boasts an extra-sturdy and abrasionresistant shoulder design for added lateral stability and robustness
- Features a robust 4-belt layer casing for maximum retreadability
- M+S and 3PMSF markings

Conti CrossTrac HD3

Drive axle

- Outstanding traction and excellent on- and off-road wear performance
- Boasts integrated continuous tread blocks for extra tread durability and robustness as well as enhanced resistance to chips, chunks and cuts
- Features a robust 4-belt layer casing for maximum retreadability
- M+S and 3PMSF markings

Conti CrossTrac

Conti CrossTrac HS3 - Steer axle

Tyre Size	LI/SI		*	1))	M+S 🞪 🕕 🕝 🕕	
385/65 R 22.5	160K (158L)	С	В	B/72 dB	• •	
385/65 R 22.5	164K	С	В	B/72 dB	• •	
295/80 R 22.5	152/148K	С	В	B/72 dB	• •	
315/80 R 22.5	156/150K	С	В	B/72 dB	• • 0	
13 R 22.5	156/150K	D	В	A/70 dB	• • 0	

Conti CrossTrac HD3 - Drive axle

Tyre Size	LI/SI		**	1)))	M+S	Æ	(1)	G	0	
295/80 R 22.5	152/148K	D	В	B/74 dB	•	•	(1)			
315/80 R 22.5	156/150K	D	В	B/76 dB	•	•	(1)	G	0	
13 R 22.5	156/150K	Е	В	B/75 dB	•	•		G	0	


Conti CrossTrac HT3 - Trailer axle

Tyre Size	LI/SI		*	1))	M+S	<u></u> ⊕ ⊕	G	0
385/65 R 22.5	160K (158L)	С	В	B/72 dB	•	•	G	0

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- (1) Also available as a hot-retread tyre.

"The construction industry workhorse — designed for the most challenging on- and off-road applications."

Conti CrossTrac - Application Recommendation per Tyre Size





HSC1/HDC1/HTC1

- High durability thanks to a special on-/off-road
- The tread pattern design allows for high mileage and even wear
- The robust casing offers optimal retreadability and thus a long service life
- The advanced tread pattern provides enhanced on- and off-road precision and high traction
- Reduced stone-trapping

HSC₁

Steer axle



HDC1 Drive axle



HTC1 Trailer axle



LSC

Steer axle

- Optimum damage resistance
- High mileage thanks to a special on-/off-road compound
- Offers maximum retreadability and structural durability thanks to its reinforced belt design and durable casing
- **Excellent handling characteristics** on all surfaces



Tyre Size	LI/SI		**	1))	M+S 🎪 🕕	0
11 R 22.5	148/145K	D	С	B/73 dB	•	G
12 R 22.5	152/148K	D	С	B/72 dB	• •	G
13 R 22.5	156/150K	D	С	B/73 dB	•	G
325/95 R 24	162/160K	D	D	B/73 dB	•	

315/80 R 22.5 156/150K D C B/74 dB ● ① ③ 12 R 22.5 152/148K E C B/74 dB ● ③ 325/95 R 24 162/160K C C B/74 dB ● ●	Tyre Size	LI/SI		_	1))	M+S 🔬 🕕 🕝 🕕
	315/80 R 22.5	156/150K	D	С	B/74 dB	• • • •
325/95 R 24 162/160K C C B/74 dB ● ●	12 R 22.5	152/148K	Е	С	B/74 dB	• • •
	325/95 R 24	162/160K	С	С	B/74 dB	• •

Tyre Size	LI/SI			1)))	M+S 🙀 🕕 😉 🕕	Tyre Size	LI/SI	H î		1)))	M+S 🔬 😗 😉 🕕
445/65 R 22.5	169K	С	С	B/74 dB	•	9.5 R 17.5	129/127L (131/128M)	D	С	A/70 dB	•

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- (1) Also available as a hot-retread tyre.





HSO Sand/HDO/HCS/LCS

- Boasts high operational safety and outstanding resistance to damage thanks to special compounds which are extremely resistant to cuts and tears
- The tread pattern design, built for the harshest terrains, offers maximum traction
- Robust casings ensure maximum service life in demanding off-road operations, heavy-duty vehicle operations included

HSO Sand

Steer axle



Drive axle



LCS Steer axle









Tyre Size	LI/SI	a	(1)	M+S 🎪 🕕 🙃 🕕	Tyre Size	LI/SI	a	1)))	M+S 🔬 🕕 🗿 🕕
14.00 R 20	160/157K			•	315/80 R 22.5	156/150G			•
13 R 22.5	149/146J			•	13 R 22.5	154/150G			•

Tyre Size	LI/SI	*	1))	M+S <u>∕</u>	<u>(1)</u>	9 0	Tyre Size	LI/SI		*	(1))	M+S
445/65 R 22.5	169K			•			265/70 R 17.5	137/134L	D	С	A/74 dB	•
365/85 R 20	164J			•								
395/85 R 20	168J (166K)			•								
14.00 R 20	164/160K (166/160G)			•								
325/95 R 24	162/160K			•								

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- H Also available as a hot-retread tyre.





Conti Scandinavia HS3

Steer axle

- High safety and steering stability thanks to pocket sipe technology
- Excellent rolling resistance and mileage due to the two-layer tread construction
- Features the special Generation 3 winter compound for harsh winter conditions

Conti Scandinavia HT3

Trailer axle

- All-round safety due to siping technology as well as pocket sipes for excellent stability when turning and braking
- The wider shoulders are capable of withstanding strong lateral forces
- Features the special Generation 3 winter compound for harsh winter conditions

"The ice and snow expert designed for regional and long-haul operations in severe winter conditions."

Conti Scandinavia

Conti Scandinavia HS3 - Steer axle

Tyre Size	LI/SI		*	1))	M+S 🎪 🕕 🙃 🕕
265/70 R 19.5	140/138M	С	С	B/73 dB	• •
285/70 R 19.5	145/143M	D	С	B/73 dB	• •
385/55 R 22.5	160K (158L)	С	В	B/73 dB	• •
385/65 R 22.5	164K (158L)	С	В	B/74 dB	• •
315/70 R 22.5	156/150L(154/150M)	С	В	B/72 dB	• •
295/80 R 22.5	154/149M	С	В	B/72 dB	• •
315/80 R 22.5	156/150L(154/150M)	С	В	B/72 dB	• •

Conti Scandinavia HD3 - Drive axle

Tyre Size	LI/SI		_	1)))	M+S 🎪 🕕 🗿 🕕
265/70 R 19.5	140/138M	D	С	B/75 dB	• • •
285/70 R 19.5	145/143M	D	С	B/75 dB	• • 6
315/70 R 22.5	154/150L(152/148M)	D	В	B/75 dB	• • 0 0
295/80 R 22.5*	152/148M	D	В	B/75 dB	• • 6
315/80 R 22.5	156/150L(154/150M)	D	В	B/75 dB	• • () (

^{*} hot-retread tyre available from July 2022

Conti Scandinavia HT3 - Trailer axle

Conti Scandinavia HD3

All-round safety based on two-stage siping technology delivering great traction in winter as well as good mileage and traction in summer

Excellent rolling resistance and mileage due to the two-layer tread construction

Features the special Generation 3 winter compound for harsh winter conditions

Drive axle

Tyre Size	LI/SI		*	1))	M+S 🎪 🗓 🙃 🕕
245/70 R 17.5	143/141L (146/146F)	D	С	B/72 dB	• •
215/75 R 17.5	135/133K	D	С	B/72 dB	• •
235/75 R 17.5	143/141K (144/144F)	D	С	B/72 dB	• •
265/70 R 19.5	143/141K	D	С	B/72 dB	• •
285/70 R 19.5	150/148K	С	С	B/72 dB	• •
385/55 R 22.5*	160K (158L)	С	С	A/70 dB	• • •
385/65 R 22.5*	164K (158L)	С	С	B/72 dB	• •

^{*} cold-retread tyre available from May 2022

- 1 Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

Conti Scandinavia HS3 ED Steer axle

Winter - Goods

- Designed for severe applications such as timber transport or mining
- Outstanding traction in wintry road conditions thanks to full-width sipes
- Superb off-road mileage performance even on forest floor and gravel
- Pattern optimized for all-year use: 1st half of tyre life is optimized for great winter grip, 2nd half optimized for low wear in summertime

Conti Scandinavia Extreme HD3 Drive axle

- Outstanding traction on snow and ice
- Excellent cornering and directional stability
- Extreme grip and optimal handling performance
- Made for severe winter conditions

"Our newest winter tyre inpovations for even more specific operations in wintery conditions."

Conti Scandinavia

Conti Scandinavia HS3 ED - Steer axle

Tyre Size	LI/SI		*	(1))	M+S	4 (1)	G	0	
385/55 R 22.5	160K (158L)	С	В	B/74 db	•	•			
385/65 R 22 5	164K (158L)	C	В	B/73 dh	•	•			

Conti Scandinavia Extreme HD3 - Drive axle

Tyre Size	LI/SI		*	(1))	M+S 🕸 🗓 😉 🕕
295/80 R 22.5	152/148M	D	С	A/73 db	• •
315/70 R 22.5*	154/150L				• •
315/80 R 22.5**	156/150L				• •

^{*} available from May 202

Also available as intelligent tyre, already fitted with tyre sensors ex works.

Also available as cold-retread tyre.

Also available as hot-retread tyre.

^{**} cold-retread tyre available from August 2022

Conti Scandinavia LS3 / Conti Scandinavia LD3

- Maximum safety and steering stability thanks to our tried-and-tested pocket sipe technology
- Excellent rolling resistance and mileage due to the two-layer tread construction
- Features the special Generation 3 winter compound for harsh winter conditions

Conti Scandinavia LS3

Steer axle

Conti Scandinavia LD3

Drive axle





Tyre Size	LI/SI			(1)	M+S	<u> </u>	G	0	
215/75 R 17.5	126/124M	D	С	B/73 dB	•	•			
235/75 R 17.5	132/130M	С	С	B/73 dB	•	•			

Tyre Size	LI/SI		_	(1))	M+S 🔌 (9 9 0
215/75 R 17.5	126/124M	D	С	B/75 dB	• •	
235/75 R 17.5	132/130M	D	С	B/75 dB	• •	G

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.

"The safe choice for harsh winter conditions."

HSW2 Scandinavia

Steer axle

- · Wide shoulder ribs
- Boasts a finely structured rib profile with a high density of lateral grooves and sipes
- Made from a compound designed for optimal grip
- Two-phase tread design:
 After the winter tread has worn down, a steering tyre with fewer sipes and excellent fuel efficiency remains



HDW2 Scandinavia

Drive axle

- Serrated sipes provide more grip edges (as compared to its predecessor)
- 3D technology for block support and protection from braking and acceleration forces
- Made from a compound designed for optimal traction
- The directional drive pattern has been designed to withstand strong retarding forces



Tyre Size	LI/SI			1))	M+S 🔥	<u>*</u> (1)	9 0	Tyre Size
355/50 R 22.5	156K	С	С	B/73 dB	•	•		295/60 R 22.
315/60 R 22.5	154/150L	С	С	B/73 dB	•	•		315/60 R 22.
								27F /70 P 22

Tyre Size	LI/SI		-	1))	M+S 🎪 🕕 🕝 🕕
295/60 R 22.5	150/147L	D	С	B/75 dB	• • 6
315/60 R 22.5	152/148L	D	С	B/75 dB	• •
275/70 R 22.5	148/145M	Ε	С	B/75 dB	• •

HTW2 Scandinavia

Trailer axle

- Wide and open shoulder ribs for optimal directional stability
- Features a rib pattern with a high number of lateral grooves and sipes
- Made from a compound designed for optimal grip
- Two-phase tread design: After the winter tread has worn down, a trailer tyre with fewer sipes and excellent fuel efficiency remains



Tyre Size	LI/SI		*	1))	M+S	∕	(1)	G	0	
445/45 R 19.5	160J	С	С	B/73 dB	•	•	(1)			

- Also available as an intelligent tyre, already fitted with tyre sensors ex works.
- Also available as a cold-retread tyre.
- Also available as a hot-retread tyre.





HSW2 COACH

Steer axle

- For quiet, smooth driving
- Outstanding comfort for your passengers
- Superior handling qualities
- Lowest overall driving costs

HDW2 COACH

Drive axle

- Maximum traction and grip to get you through slush, ice and packed snow
- Outstanding comfort and a smooth ride for your passengers
- Excellent robustness and shoulder stiffness to minimise damage taken from kerbstone impacts

HSW2 COACH/HDW2 COACH

HSW2 COACH - Steer axle

Tyre Size	LI/SI		*	1))	M+S 🎪	(1) (3)	0	
295/80 R 22.5	152/148M	D	С	B/73 dB	• •	(1)	0	
295/80 R 22.5*	154/149M	D	С	B/73 dB	• •			
315/80 R 22.5*	156/150L(154/150M)	D	С	B/73 dB	• •			

^{*} available as HSW2+ Coach

HDW2 COACH - Drive axle

Tyre Size	LI/SI		_	1))	M+S	<u> </u>	(1)	G	0
295/80 R 22.5	154/149M	D	В	B/76 dB	•	•	(1)		

built to deal with the harshest winter conditions."

Also available as an intelligent tyre, already fitted with tyre sensors ex works.

Also available as a cold-retread tyre.

(1) Also available as a hot-retread tyre.

Conti UrbanScandinavia HA3 / Conti UrbanScandinavia HD3

- Outstanding traction on snowy and icy roads thanks to a high number of gripping edges and sipes
- The wider and deeper tread with lower void offers up to 30% more mileage on the drive axle*
- The wide shoulder rib allows for better cornering forces
- 3D technology provides block support and protection from braking and acceleration forces

Conti UrbanScandinavia HA3 All axle

Conti UrbanScandinavia HD3 Drive axle






*As compared to its predecessor, the HDW Scandinavia.

Tyre Size	LI/SI		*	(1))	M+S	\triangle	(1)	9 (Tyre Size	LI/SI		*	1))	M+S	₽	(1)	G	0
275/70 R 22.5**	150/145J (152/148E)	D	С	B/73 dB	•	•		0	275/70 R 22.5	150/145J (152/148E)	D	С	B/75 dB	•	•	(1)	9	0

^{**} LI/SI changed to 152/148E from 06/2022



Also available as a cold-retread tyre.

H Also available as a hot-retread tyre.



Continental Truck and Bus Tyres | EU tyre label 78


79

EU Tyre Label 2021

Information on the new EU regulation

Continental welcomes the new EU tyre labelling rules, extending the scheme to cover heavy-duty vehicles. It provides consumers, fleet operators and tyre retailers with objective, reliable and comparable information on three important tyre performance characteristics: the tyre's rolling resistance, wet grip and external rolling noise. A pictogram indicating if the tyre is suitable for use in in severe snow conditions (winter and all-season tyres) is present in tyres fulfilling such performance levels.

The new EU tyre label



Find out more online: the EU tyre label generator

Find out more about the parameter values of Continental tyres online: comprehensive, clear and accessible at all times. With the label generator you can quickly and easily find the appropriate EU tyre label parameters for your Continental tyres. Visit our label generator online at:

www.continental-truck-tires.com/labelgenerator

All new label parameters including the links to the label and product information sheet will also be provided via our electronic price catalogue (PRICAT) for direct use in ERP systems.

© 2022 by Continental Truck and Bus Tyres All rights reserved.

Reproduction, reprint or any other form of duplication – even as excerpts – is permitted only with prior authorisation from Continental.

The contents of this manual were compiled with the greatest care and reflect decades of experience. While all data and tips are correct to the best of our knowledge, they do not represent a guarantee of properties. In using this manual, it should be kept in mind that certain specifications may no longer be up to date, mainly as a result of technical progress.

No liability for damage of any kind or for any legal reason can be assumed for the advice given in this manual.



65D47.en 2022.03

Continental Reifen Deutschland GmbH Büttnerstraße 25 30165 Hannover Germany

www.continental-truck-tyres.com www.continental-corporation.com